



# PIPERAZINE-17%

## Medicated Liquid Wormer



### INDICATIONS:

A wormer for use in drinking water for the control of large roundworms (*Toxocara canis* and *Toxascaris leonina*) in dogs and cats, and large roundworms (*Parascaris equorum*), strongyles (*Strongylus vulgaris*) and small strongyles and pinworms (*Oxyuris equi*) in horses.

### BENEFITS:

- Effective - practically 100% removal of large roundworms when used according to directions
- No interruption of feeding programs
- Highly palatable
- Convenient, for use in drinking water
- Cost effective treatment

### ACTIVE INGREDIENT:

Each 100cc contains 17 grams of Piperazine base

### DIRECTIONS FOR USE:

DOGS and CATS - Give 1 cc (15 drops) of Piperazine-17 for each 6 pounds of body weight. Dose the dog and cat individually or give in milk, water, or food. Repeat treatment in 30 days or when necessary.

HORSES (non-food producing) - Give 1 fluid ounce Piperazine-17 for each 100 pounds of bodyweight. Give the full dose with a dose syringe. If feed administration is preferred, give bran mash with a small amount of Piperazine-17 for 2 or 3 feedings, then give full dose in bran mash. Repeat treatment in 30 days or when necessary.

### PACKAGING:

8 ounce bottle, 12 per case

16 ounce bottle, 12 per case

Gallon, 4 per case

UPC# : 7 45801 11560 6

UPC #: 7 45801 11561 3

UPC #: 7 45801 11563 7



DURVET, INC. ANIMAL HEALTH PRODUCTS  
P.O. Box 279 · Blue Springs, Missouri 64014 · 800/821-5570 · 816/229-9101  
Fax 816/224-3080 · E-mail: info@durvet.com · www.durvet.com