One Dose with Dropper



Feline Rhinotracheitis-Calici-Panleukopenia Vaccine

Modified Live Virus

VACCINE DROPS

Feline Focus® 3

Package contains a one dose vial of dry vaccine,
a 0.5 mL vial of liquid vaccine, and one disposable dropper

FOR CATS ONLY

PERISHABLE PRODUCT • KEEP REFRIGERATED

MADE IN THE USA

Description: Focus® 3 vaccine is designed for ocular and nasal administration. Each of the viruses are widespread and are common disease causing agents in cats.

Indications: For the vaccination of healthy, susceptible cats as an aid in the reduction of diseases caused by Feline Rhinotracheitis (Herpesvirus), Feline Calicivirus, and Feline Panleukopenia. Cats can be vaccinated at 12 weeks of age. If cats are vaccinated at less than 12 weeks of age, a second vaccination should be administered at 12 to 16 weeks of age to assure vaccination against Feline Panleukopenia.

Directions and Dosage: Remove the metal seal and rubber stopper from each vial. Using the enclosed dropper, rehydrate the lyophilized vaccine with the accompanying 0.5 mL of liquid vaccine. Shake until dissolved. Immediately withdraw the rehydrated vaccine into the dropper. Place one drop of vaccine in the corner of each eye. The remaining vaccine is administered by placing the vaccine equally in each nostril as the animal inhales. **This vaccine is NOT to be injected.** Annual revaccination is recommended.

Precautions: Store out of direct sunlight at a temperature between 35°-45°F (2°-7°C). Do not freeze. Use entire contents when first opened. Do not vaccinate pregnant animals. Burn containers and all unused contents.

In rare instances reactions can occur due to unusual sensitivity following use of this product. In such cases administer epinephrine as an antidote.

The vaccine will not protect against disease in the face of incubating Feline Rhinotracheitis, Feline Calicivirus or Feline Panleukopenia virus infection. Therefore, only healthy cats should be considered as candidates for vaccination.

In some cats a slight watery discharge and occasional sneezing may occur 4 to 7 days after vaccination. A transient drop in the white blood cell count has been noted at times 5 to 6 days after vaccination. Oral lesions may be observed after vaccination but heal without incident. Contains gentamicin and Amphotericin B as preservatives.

7 458014490 6 0

Produced by:
Boehringer Ingelheim
Vetmedica, Inc.
St. Joseph, MO 64506
U.S.A.
U.S. Vet. License No. 124

Distributed by:
Peak Marketing
P.O. Box 279
Blue Springs, MO 64013
U.S.A.

Focus® 3 is a trademark of Peak Marketing LLC

ISS12XB11

18914-02

Ser.:
Exp.: