

2.2. Label elements

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/11

# **Durvet Super II Dairy & Farm Spray**

Revision 3 Revision date 2020-02-10

	Revision date 2020-02-10			
SECTION 1: Identification of	the substance/mixture and of the company/undertaking			
1.1. Product identifier				
Product name	Durvet Super II Dairy & Farm Spray			
Product code	1576530, 1575530, 1574021			
1.2. Relevant identified uses of the substance or mixture and uses advised against				
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC8] Biocidal products (e.g. Disinfectants, pest control);			
Description	Liquid insecticide. Not for use in residential areas.			
1.3. Details of the supplier of the	safety data sheet			
Company	Neogen Corporation			
Address	620 Lesher Place			
	Lansing MI 48912			
M/-E	USA			
Web	www.neogen.com			
Telephone	517-372-9200/800-234-5333			
Email	SDS@neogen.com			
1.4. Emergency telephone numb	per			
	24 hours:  Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)  Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)			
Further information				
	Manufactured By:. Chem-Tech Ltd. 1006 Business Highway 5 Pleasantville, IA 50225 U.S.A.			
	Chem-Tech Ltd. is a wholly-owned subsidiary of Neogen Corporation.			
SECTION 2: Hazards identification				
2.1. Classification of the substar	nce or mixture			
2.1.2. Classification - GHS	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Aquatic Acute 1: H400;			

Revision 3 Revision date 2020-02-10

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Aquatic Acute 1: H400 - Very toxic to aquatic life.
Precautionary Statement: Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/ . P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P331 - Do NOT induce vomiting.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved hazardous/special waste disposal facility in accordance with local and national regulations, Follow label instructions
2.3. Other hazards	
Other hazards	May be harmful if swallowed.
Further information	
	Read the entire label and follow all use directions, restrictions, and precautions.

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Kerosine - unspecified - kerosine (petroleum), hydrodesulfurized (Kerosene/Jet fuels as total hydrocarbon vapor)	649-423-00-8	64742-81-0	265-184-9		40 - 50%	Asp. Tox. 1: H304;
Straight run kerosine - kerosine (petroleum) (Kerosene/Jet fuels as total hydrocarbon vapor)	649-404-00-4	8008-20-6	232-366-4		40 - 50%	Asp. Tox. 1: H304;
Dichlorvos (ISO) (Dichlorvos (DDVP))	015-019-00-X	62-73-7	200-547-7		0 - 0.5%	Acute Tox. 2: H330; Acute Tox. 3: H311; Acute Tox. 3: H301; Skin Sens. 1: H317; Aquatic Acute 1: H400;
Piperonyl butoxide		51-03-6	200-076-7		0 - 0.5%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Pyrethrins (Pyrethrum)		8003-34-7	232-319-8		0 - 0.5%	Acute Tox. 4: H302+H312+H332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

#### Description

Revision 3
Revision date 2020-02-10

Description	
	Concentrations listed are not product specifications.
Further information	·
	Full text of Hazard Statements listed in this Section is provided in Section 16.
SECTION 4: First aid meas	ures
4.1. Description of first aid mea	sures
Inhalation	Move the exposed person to fresh air. If breathing is difficult give oxygen. If breathing stops,
	provide artificial respiration. Seek medical attention if irritation or symptoms persist.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed. Seek medical attentio if irritation or symptoms persist.
Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING unless advised to do so by a doctor. Rinse mouth thoroughly. Never
	give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	Ingestion may cause nausea and vomiting. Contains petroleum distillates. Vomiting may cause aspiration pneumonia.
4.3. Indication of any immediate	e medical attention and special treatment needed
	Remove the affected person from the source of contamination immediately. Transfer to hospital if there are burns or symptoms of poisoning. IF exposed or concerned: Get medical advice/attention If medical advice is needed, have product container or label at hand.
Further information	
	Refer to product label for FIFRA-required First Aid directions.
NOTE TO PHYSICIAN OR VETERINARIAN	Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. Refer to product label and/or package insert for additional information.
SECTION 5: Firefighting me	easures
5.1. Extinguishing media	
, ,	In case of fire, use carbon dioxide (CO2), Alcohol resistant foam, Dry chemical, Foam. Use extinguishing media appropriate to the surrounding fire conditions.
5.2. Special hazards arising fro	
· •	In case of fire and/or explosion do not breathe fumes. Fire will produce dense black smoke. Vapor may travel considerable distance to source of ignition and flash back. Heat will increase pressure in sealed containers.
5.3. Advice for firefighters	
	Flammable liquid and vapour. In case of fire and/or explosion do not breathe fumes. Wear self contained breathing apparatus and protective clothing.
SECTION 6: Accidental rele	
	ective equipment and emergency procedures
o. i. i-ersonai precautions, prot	Flammable liquid. Adopt best Manual Handling considerations when handling, carrying and
	i anninable ilquid. Adopt best iviandar handling considerations when handling, carrying and

dispensing. Avoid sparks, flames, heat and sources of ignition. Ensure adequate ventilation of the

Revision 3 Revision date 2020-02-10

6.1. Personal precautions, prote	ctive equipment and emergency procedures
	working area. Use as appropriate: Protective equipment. Avoid prolonged or repeated exposure.
6.2. Environmental precautions	
	Prevent further spillage if safe. Clean spillage area thoroughly with plenty of water. Do not flush into surface water. Do not let product contaminate subsoil.
6.3. Methods and material for co	ntainment and cleaning up
	Flammable liquid. Absorb with inert, absorbent material. Collect spillage. Transfer to suitable, labelled containers for disposal. Dispose of this material and its container to hazardous or special waste collection point. Do not contaminate water by cleaning of equipment or disposal of wastes. Clean with detergents. Avoid solvents.
6.4. Reference to other sections	
	See section 2, 8 & 13 for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handling	g
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes. Do not eat, drink or smoke in areas where this product is used or stored. Ensure adequate ventilation of the working area. Do not contaminate water by cleaning of equipment or disposal of wastes. Use as appropriate: Protective clothing.  Read the entire label and follow all use directions, restrictions, and precautions.
7.2. Conditions for safe storage,	including any incompatibilities
	Flammable liquid and vapour. Contact with combustible material may cause fire. Store in correctly labelled containers. Keep container tightly closed. Do not contaminate water, food, or feed by storage or disposal. Follow label instructions.
7.3. Specific end use(s)	
	See Section 1.2 for further information.
Further information	
	Refer to product label for FIFRA-required Storage and Disposal directions.
SECTION 8: Exposure contr	ols/personal protection
8.1. Control parameters	
Exposure Limit Values	

Revision 3 Revision date 2020-02-10

#### **Exposure Limit Values**

Dichlorvos (ISO) (Dichlorvos (DDVP))	ACGIH TLV TWA: 0.1 mg/m³ (IFV)	ACGIH TLV STEL: -
,,,	<b>Notations:</b> Skin; SEN; A4; BEI A	OSHA PEL 8hr TWA ppm: -
	OSHA PEL 8hr TWA mg m3: 1	Skin Designation: X
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:
Kerosine - unspecified - kerosine (petroleum), hydrodesulfurized (Kerosene/Jet fuels as total hydrocarbon vapor)	ACGIH TLV TWA: 200 mg/m³ (P)	ACGIH TLV STEL: -
nydrocarbon vapor)	Notations: Skin; A3	OSHA PEL 8hr TWA ppm: -
	OSHA PEL 8hr TWA mg m3: -	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:
Pyrethrins (Pyrethrum)	ACGIH TLV TWA: 5 mg/m³	ACGIH TLV STEL: -
	Notations: A4	OSHA PEL 8hr TWA ppm: -
	OSHA PEL 8hr TWA mg m3: 5	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:
Straight run kerosine - kerosine (petroleum) (Kerosene/Jet fuels as total hydrocarbon vapor)	ACGIH TLV TWA: 200 mg/m³ (P)	ACGIH TLV STEL: -
, ,	Notations: Skin; A3	OSHA PEL 8hr TWA ppm: -
	OSHA PEL 8hr TWA mg m3: -	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:

#### 8.2. Exposure controls

Appropriate engineering controls	Ensure adequate ventilation of the working area.
Individual protection measures	Use as appropriate: Protective equipment.
Eye / face protection	Use as appropriate: Suitable eye protection.
Skin protection - Hand protection	Use as appropriate: Chemical-resistant gloves made of any waterproof material.
Skin protection - Other	Use as appropriate: Protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Occupational exposure controls	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from food, drink and animal feed and/ or feed products. Provide chemical shower. Provide eye wash station.
Further information	
	Refer to product label for additional PPE requirements and recommendations. Follow label instructions.

Revision 3 Revision date 2020-02-10

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State	Liquid
Color	Clear/Light yellow
Odor	Characteristic/Sweet
Odor threshold	No data available
pH	No data available
Melting point	No data available
Freezing Point	No data available
Boiling point	154 - 172 °C
Flash point	50 °C
Evaporation rate	<1
Flammability limits	Not applicable.
Upper Explosive Limit	5 %
Lower Explosive Limit	0.7 %
Vapor pressure	< 2 mmHg
Vapor density	> 4.5
Relative density	0.775 - 0.84
Partition coefficient	4.65 log P
Autoignition temperature	210 °C
Viscosity	2 cP @ 25°C
Explosive properties	No data available
Oxidizing properties	No data available
Solubility	Insoluble in water

#### 9.2. Other information

VOC (Volatile organic	99.14 %
compounds)	

### SECTION 10: Stability and reactivity

10.1. Reactivit	itv
-----------------	-----

Stable under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Under the specified conditions, hazardous reactions that lead to excessive temperatures or
pressure are not expected.

#### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5. Incompatible materials

Contact with combustible material may cause fire. Keep away from oxidizing agents, Combustible materials.

#### 10.6. Hazardous decomposition products

Carbon oxides.

#### SECTION 11: Toxicological information

Revision 3 Revision date 2020-02-10

#### 11.1. Information on toxicological effects

11.1. Information on toxicologica	al effects
Acute toxicity	Based on available data, the classification criteria are not met. However, this product does contain substance(s) that are classified as hazardous. For more information, see Section 3.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitization	May cause allergic reactions in susceptible people.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	Listed by the International Agency for Research on Cancer (IARC) as a Group 2 substance: suspected of being a human carcinogen, [Dichlorvos, CAS No. 62-73-7].  Not listed in the National Toxicology Program (NTP) 14th Report on Carcinogens.  Not listed in the American Conference of Governmental Industrial Hygienists (ACGIH) Guide to Occupational Exposure Values.  Not listed in the OSHA standard 1910.1003 Carcinogens.
Reproductive toxicity	No teratogenic effects reported.
STOT-single exposure	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
STOT-repeated exposure	Components(s) may cause damage to human organs based on animal data.
Aspiration hazard	Potential for aspiration if swallowed.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure. Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects. Delayed appearance of the complaints and development of hypersensitivity (difficult breathing, coughing, asthma) are possible.
11.1.2. Mixtures	
	See Section(s) 3 for further information.
11.1.3. Hazard Information	
	See Section(s) 2 and 3 for further information.
11.1.4. Toxicological information	١
	No data available
11.1.5. Hazard Class	
	See Section(s) 2 and 14 for further information.
11.1.6. Classification Criteria	
	Based on the Globally Harmonized System (GHS) considerations for the classification of mixtures. See Section 15 for regulatory citations.
11.1.7. Information on likely rout	tes of exposure
	Eye contact. Skin contact. Ingestion. Inhalation.
11.1.8. Symptoms related to the	physical, chemical and toxicological characteristics
	See Section(s) 4.2 for further information.
11.1.9. Delayed and immediate	effects as well as chronic effects from short and long-term exposure
	See Section(s) 4.2 for further information.
11.1.10. Interactive effects	
	No data available.
11.1.11. Absence of specific dat	ia
	<1% of this mixture consists of ingredients of unknown acute toxicity.
11.1.12. Mixture versus substan	ce information

Revision 3
Revision date 2020-02-10

	Revision date 2020-02-10
11.1.12. Mixture versus substa	ance information
	See Section(s) 3 for further information.
11.1.13. Other information	
	Caution - substance not yet fully tested.
SECTION 12: Ecological in	nformation
12.1. Toxicity	
	No data available
12.2. Persistence and degrada	ability
	No data is available on this product.
12.3. Bioaccumulative potentia	al
	No data is available on this product.
Partition coefficient	
	Durvet Super II Dairy & Farm Spray 4.65 log P Dichlorvos (ISO) 3.84 log P
12.4 Mobility in soil	
12.4. Mobility in soil	No data is available on this product.
12.5. Results of PBT and vPvI	·
12.5. Results of FDT and VFVI	No data is available on this product.
12.6. Other adverse effects	No data is available on this product.
	This product is toxic to fish, birds, and aquatic invertebrates.  This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.
SECTION 13: Disposal cor	
13.1. Waste treatment method	
13.1. Waste treatment method	Dispose of as special waste in compliance with local and national regulations.
Disposal methods	Dispose of as special waste in compliance with local and hational regulations.
Disposal motilods	Do not contaminate water by cleaning of equipment or disposal of wastes. Do not flush into surface
	water. Dispose of in compliance with all local and national regulations.
Disposal of packaging	
	Nonrefillable container. Do not reuse or refill this container.  If empty: Do not reuse this container. Place in trash or offer for recycling, if available.  If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.
Further information	
	Refer to product label for FIFRA-required Storage and Disposal directions.
SECTION 14: Transport in	formation
Hazard pictograms	

Copyright © 2020 ChemSoft. All rights reserved.

Revision 3 Revision date 2020-02-10

### Hazard pictograms 14.1. UN number UN1268 14.2. UN proper shipping name PETROLEUM DISTILLATES. N.O.S. 14.3. Transport hazard class(es) DOT 3 Subsidiary risk **IMDG** 3 Subsidiary risk IATA 3 Subsidiary risk 14.4. Packing group Ш Packing group 14.5. Environmental hazards No **Environmental hazards** Marine pollutant No DOT Hazard ID 30 **Tunnel Category** (D/E) **IMDG EmS Code** F-E S-E **IATA** Packing Instruction (Cargo) 366 220 L Maximum quantity **Packing Instruction** 355 (Passenger) Maximum quantity 60 L SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Regulations Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication. Chemical Toxic Substances Control Act (TSCA): All ingredients listed or exempt.

Rhode Island Right-to-Know General Law:

Massachusetts Right-to-Know Hazardous Substance List: Dichlorvos. New Jersey Worker and Community Right to Know Act: Dichlorvos.

Pennsylvania Right to Know Law: This material contains no reportable components.

This material contains no reportable components.

Inventories/Right-to-Know

Lists:

Revision 3 Revision date 2020-02-10

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

\*\*California residents please note\*\*.

WARNING: This product can expose you to chemicals, including dichlorvos, CAS No. 62-73-7, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### **Inventories**

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Kerosine - unspecified - kerosine (petroleum), hydrodesulfurized (Kerosine (petroleum), hydrodesulfurized)	Y	N	N	N	N	N	N	N	N
Straight run kerosine - kerosine (petroleum) (Kerosine (petroleum))	Υ	N	N	N	N	N	N	N	N
Dichlorvos (ISO) (Phosphoric acid, 2,2-dichloroethenyl dimethyl ester)	Υ	Υ	Y 0.1	Y	N	Υ	Y	Y 1,000	Y 10
Pyrethrins	N	N	N	N	N	N	Υ	N	N

#### **Further information**

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

# FIFRA Signal Word FIFRA Warning

#### WARNING.

14 - IATA.

Keep out of reach of children.

Hazards to humans and domestic animals.

Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed.

#### SECTION 16: Other information

#### Other information

Revision	This document differs from the previous version in the following areas:.			
	1 - Manufactured By:.			
	14 - DOT.			
	14 - IMDG.			

#### Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists.

CAS No.: Chemical Abstracts Service. GHS: Globally Harmonized System.

HCS 2012: Hazard Communication Standard (2012 revision).

IATA: International Air Transport Association. ICAO: International Civil Aviation Organization. IMDG: International Maritime Dangerous Goods.

LC: Lethal concentration.

LD: Lethal dose.

OEL: Occupational exposure limit.

OSHA: U.S. Occupational Safety and Health Administration.

PEL: Permissible Exposure Limit.

UN: United Nations.

US DOT: United States Department of Transportation.

VOC: Volatile Organic Compound. WEL: Workplace Exposure Limit.

Revision 3 Revision date 2020-02-10

Other information					
Text of Hazard Statements in	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.				
Section 3	Acute Tox. 3: H301 - Toxic if swallowed.				
	Acute Tox. 3: H311 - Toxic in contact with skin.				
	Skin Sens. 1: H317 - May cause an allergic skin reaction.				
	Acute Tox. 2: H330 - Fatal if inhaled.				
	Aquatic Acute 1: H400 - Very toxic to aquatic life.				
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects				

#### Maximum content of VOC

99.14 %.

#### **Further information**

DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.

Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.