

Triple Wormer[®]

(pyrantel pamoate/praziquantel)

INDICATIONS:

Triple Wormer (pyrantel pamoate/praziquantel) Flavored Chewables for Dogs is used for the treatment and control of roundworms (*Toxocara canis*, *Toxascaris leonina*), hookworms (*Ancylostoma caninum*, *Ancylostoma braziliense*, *Uncinaria stenocephala*), and tapeworms (*Dipylidium caninum*, *Taenia pisiformis*) in dogs and puppies 12 weeks of age or older.

APPROVED FOR USE ON:

Dogs over 12 weeks in age, weighing greater than 6 lbs.

PRODUCT ADVANTAGES:

- Easy to give flavored chewable tablet
- Broad spectrum dewormer available OTC
- Treats and controls 7 species of tapeworms, hookworms and roundworms
- Available without a prescription!

DOSAGE AND ADMINISTRATION:

You should weigh your dog to make sure you are giving the right dose.

Triple Wormer Flavored Chewables are palatable if offered by hand. If your dog does not voluntarily eat the chewable, you can hide the chewable in a small amount of food or place it in the back of the dog's mouth for forced swallowing.

Make sure that the dog eats the complete dose.

Watch your dog for a few minutes after dosing to make sure the chewable is not rejected.

Please refer to the following dosing table for help finding the right dose for your dog.

Triple Wormer Flavored Chewables Dosing Table
for Puppies and Small Dogs*
(6 - 25 lbs.)

Body Wt. (lbs.)	No. of Chewable
6 - 12	1
12.1 - 25	2
> 25	Use 114 mg size

for Medium and Large Dogs
(25.1 - 200 lbs.)

Body Wt. (lbs.)	No. of Chewable
6 - 25	Use the 30 mg size
25.1 - 50	1
50.1 - 100	2
100.1 - 150	3
150.1 - 200	4

See insert for full directions and warning statements.

* NOT FOR USE IN PUPPIES LESS THAN 12 WEEKS OF AGE OR DOGS WEIGHING LESS THAN 6 LBS.



ACTIVE INGREDIENTS:

Each Triple Wormer Flavored Chewable for Puppies and Small Dogs contains pyrantel pamoate (30 mg) and praziquantel (30 mg)

Each Triple Wormer Flavored Chewable for Medium and Large Dogs contains pyrantel pamoate (114 mg) and praziquantel (144 mg)

PACKAGING:

Puppies and Small Dogs (6-25 lbs.), 2 tablets per box, 12 boxes per case
UPC# 7-45801-17603-4

Puppies and Small Dogs (6-25 lbs.), 12 tablets per box, 12 boxes per case
UPC# 7-45801-17612-6

Medium and Large Dogs (> 25 lbs.), 2 tablets per box, 12 boxes per case
UPC# 7-45801-17703-1

Medium and Large Dogs (> 25 lbs.), 12 tablets per box, 12 boxes per case
UPC# 7-45801-17712-3



Triple Wormer[®]

(pyrantel pamoate/praziquantel)

FLAVORED CHEWABLES FOR PUPPIES AND SMALL DOGS

Triple Wormer. Flavored Chewables

Package contents:
blisters of 2 or 12
flavored chewables

Drug Facts

Active Ingredients (in each chewable):

pyrantel pamoate (30 mg)
and praziquantel (30 mg)

Purpose: De-wormer
for Small Dogs
and Puppies Only (6.0 to
25 pounds).

Uses: For the treatment
and control of:

- Roundworms
(*Toxocara canis*,
Toxascaris leonina)
- Hookworms
(*Ancylostoma caninum*,
*Ancylostoma
braziliense*, and
Uncinaria stenocephala)
- Tapeworms
(*Dipylidium caninum*,
Taenia pisiformis)

Human Warning:

Keep this and all
medication out of the
reach of children.
To obtain product
information, including
a Safety Data Sheet (SDS),
call 1-800-821-5570.

When Using This Product:

- Consult your veterinarian
for assistance in the

diagnosis, treatment,
and control of parasitism.

- Do not de-worm a dog
or puppy that is sick.
Consult a veterinarian for
diagnosis of the illness.

- **Triple Wormer**
Flavored Chewables are
safe for use in puppies
12 weeks or older and
adult dogs. Safety in
breeding dogs and
pregnant bitches has
not been tested.

You May Notice:

Vomiting, loose stools
(with or without blood)
and decreased activity
following treatment.
If you notice these signs,
contact a veterinarian.

Directions:

Each flavored
chewable contains
30 mg of pyrantel
pamoate and 30 mg
of praziquantel. The
dose for each dog
is 2.27 mg per
pound of body weight
(5 mg/kg). Please
refer to the following
dosing table for help
finding the right dose
for your dog.

Triple Wormer Flavored Chewables Dosing Table

Dog Weight/ Number of Chewables
6.0 to 12 pounds: 1 Chewable
12.1 to 25 pounds: 2 Chewables
More than 25 pounds: Use 114 mg size.

- You should weigh your
dog to make sure you are
giving the right dose.
- Triple Wormer Flavored
Chewables are palatable
if offered by hand. If
your dog does not
voluntarily eat the
chewable, you can hide
the chewable in a small
amount of food or
place it in the back
of the dog's mouth for
forced swallowing.
- Make sure that the dog
eats the complete dose.
- Watch your dog for a
few minutes after
dosing to make sure the
chewable is not rejected.

Other Information: Recommended De-Worming Schedule:

Consult your veterinarian
for assistance in the
diagnosis, treatment, and
control of parasitism.
De-worming schedules
may vary depending on the
climate where you live and
the activity of your dog.

Re-treatment: Re-treatment
of your dog may be
necessary as determined
by laboratory fecal examina-
tion and/or if your dog
is living where re-infections
are likely to occur. Consult
your veterinarian for
assistance in the diagnosis
and prevention of
re-infection. In case of
re-infection with tapeworms
(*Dipylidium caninum*),
consult your veterinarian
for advice on how to
remove fleas from the
dog and the environment.

Manufactured for:

Durvet, Inc.
100 S.E. Magellan Drive
Blue Springs, MO 64014

Storage: Store at
controlled room temperature
of 59-86°F (15-30°C).

Questions? Comments?

To report a suspected
adverse reaction,
call 1-800-821-5570.

P002623-3 AMRV

**Approved by FDA
under NADA #141-261**

ISS19XB05

Triple Wormer[®]

(pyrantel pamoate/praziquantel)

FLAVORED CHEWABLES FOR MEDIUM AND LARGE DOGS

Triple Wormer[®] Flavored Chewables

Package contents:
blisters of 2 or 12
flavored chewables

Drug Facts

Active Ingredients (in each chewable):

pyrantel pamoate (114 mg)
and praziquantel (114 mg)

Purpose: De-wormer
for Medium and
Large Dogs Only (Greater
than 25 pounds).

Uses: For the treatment
and control of:

- Roundworms
(*Toxocara canis*,
Toxascaris leonina)
- Hookworms
(*Ancylostoma caninum*,
*Ancylostoma
braziliense*, and
Uncinaria stenocephala)
- Tapeworms
(*Dipylidium caninum*,
Taenia pisiformis)

Human Warning:

Keep this and all
medication out of the
reach of children.
To obtain product
information, including
a Safety Data Sheet (SDS),
call 1-800-821-5570.

When Using This Product:

- Consult your veterinarian
for assistance in the

diagnosis, treatment,
and control of parasitism.

- Do not de-worm a dog
or puppy that is sick.
Consult a veterinarian for
diagnosis of the illness.
- **Triple Wormer**
Flavored Chewables are
safe for use in puppies
12 weeks or older and
adult dogs. Safety in
breeding dogs and
pregnant bitches has
not been tested.

You May Notice:

Vomiting, loose stools
(with or without blood)
and decreased activity
following treatment.
If you notice these signs,
contact a veterinarian.

Directions:

Each flavored
chewable contains
114 mg of pyrantel
pamoate and 114 mg
of praziquantel. The
dose for each dog
is 2.27 mg per
pound of body weight
(5 mg/kg). Please
refer to the following
dosing table for help
finding the right dose
for your dog.

Triple Wormer Flavored Chewables Dosing Table

Dog Weight	Number of Chewables
6.0 to 25 pounds	Use the 30 mg size.
25.1 to 50 pounds	1
50.1 to 100 pounds	2
100.1 to 150 pounds	3
150.1 to 200 pounds	4

- You should weigh your
dog to make sure you are
giving the right dose.
- Triple Wormer Flavored
Chewables are palatable
if offered by hand. If
your dog does not
voluntarily eat the
chewable, you can hide
the chewable in a small
amount of food or
place it in the back
of the dog's mouth for
forced swallowing.
- Make sure that the dog
eats the complete dose.
- Watch your dog for a
few minutes after
dosing to make sure the
chewable is not rejected.

Other Information: Recommended De-Worming Schedule:

Consult your veterinarian
for assistance in the
diagnosis, treatment,
and control of parasitism.
De-worming schedules
may vary depending
on the climate where
you live and the activity
of your dog.

Re-treatment: Re-treatment
of your dog may be
necessary as determined
by laboratory fecal examina-
tion and/or if your dog
is living where re-infections
are likely to occur. Consult
your veterinarian for
assistance in the diagnosis
and prevention of
re-infection. In case of
re-infection with tapeworms
(*Dipylidium caninum*),
consult your veterinarian
for advice on how to
remove fleas from the
dog and the environment.

Manufactured for:

Durvet, Inc.
100 S.E. Magellan Drive
Blue Springs, MO 64014

Storage: Store at
controlled room temperature
of 59-86°F (15-30°C).

Questions? Comments?

To report a suspected
adverse reaction,
call 1-800-821-5570.

P002622-3 AMRV

**Approved by FDA
under NADA #141-261**

ISS19XB05