

DIRECTIONS: Do not vaccinate within 21 days before slaughter. Safety in pregnant animals is unknown. Shake well before use. Use entire contents when first opened. Store at 2° - 8°C. Do not freeze. Do not mix with other products.

PRECAUTIONS: Anaphylactoid reaction may occur following administration of products of this nature. If noted, administer adrenalin or equivalent.

DOSAGE & ADMINISTRATION: Inject 2 ml subcutaneously or intramuscularly. Repeat full dose in 3 to 4 weeks. Historically, annual vaccination is recommended. Contact veterinarian for advice.

FOR VETERINARY USE ONLY



CLOSTRIDIUM PERFRINGENS TYPES C & D - TETANUS TOXOID

GoatVac C.D.-T®

20 mL | 10 Doses

ISS19XB11



VLN: 188 / PCN: 8304.00

Manufactured by:
COLORADO SERUM COMPANY
4950 York Street
Denver, Colorado 80216
303-295-7527

Manufactured for:
DURVET, INC.
100 S.E. Magellan Drive
Blue Springs, MO 64014

This product has been shown to be effective for the vaccination of healthy cattle, sheep and goats against enterotoxemia caused by *Clostridium perfringens* Types B, C and D, and for the vaccination of healthy swine against *Clostridium perfringens* Type C. This product has also been shown to be effective for the vaccination of healthy cattle, sheep, goats and swine against tetanus.

This product was licensed prior to the requirement to establish a minimum age for use. The duration of immunity is unknown. For more information regarding efficacy and safety data, see productdata.aphis.usda.gov. *Cl. perfringens* Type B is not a significant problem in North America. In case of human exposure, contact a physician. Contains thimerosal as a preservative.

Serial No.:

Exp. Date: