

# Triple Wormer

(pyrantel pamoate/praziguantel)





### 251 to 200 lbs

Mfd. for: Durvet. Inc. 100 S.E. Magellan Drive Blue Springs, MO 64014

### info@durvet.com

P006675 AMRV ISS19XB05



**Flavored Chewables** 

Package contents: 2 flavored chewables

### **Drug Facts**

Active Ingredients (in each chewable): pyrantel pamoate (114 mg) and praziquantel (114 mg) Purpose: De-wormer for Medium and Large Dogs Only (Greater than 25 pounds).

Indications: For the treatment and control of roundworms (Toxocara canis, Toxascaris leonina) hookworms (Ancylostoma caninum, Ancylostoma braziliense, Uncinaria stenocephalal, and

tapeworms (Dipylidium caninum, Taenia pisiformis)

Triple Wormer Flavored Chewables are safe for use in puppies 12 weeks or older and adult dogs

Safety in breeding dogs and pregnant bitches has not been tested.

Dosage – Dog Weight	No. of Chewables
6.0 to 25 lbs.	Use the 30 mg size
25.1 to 50 lbs.	1
50.1 to 100 lbs.	2
100.1 to 150 lbs.	3
150.1 to 200 lbs.	4

#### For complete product information, see package insert.

Store at controlled room temperature of 59-86°F (15-30°C).

Human Warning: Keep this and all medication out of reach of children. To obtain product information, including a Safety Data Sheet (SDS), call 1-800-821-5570

ple Wormer pamoate/praziquantel)

Medium and Large Dogs 25.1 - 200 lbs



## 2 Flavored **Chewables**



Dog 25.1-200 lbs

# Triple Wormer (pyrantel pamoate/praziquantel)

#### FLAVORED CHEWABLES



De-wormer for Dogs Only

# Medium and Large Dogs 25.1 to 200 lbs

For the treatment and control of:

tapeworms (Dipylidium caninum, Taenia pisiformis)

roundworms (Toxocara canis, Toxascaris leonina)

## hookworms

(Ancylostoma caninum, Ancylostoma braziliense, Uncinaria stenocephala)



Each chewable contains 114 mg pyrantel pamoate and 114 mg praziguantel



Medium nd Large Dogs 25.1- 200 lbs

and

durvet



# Triple Wormer (pyrantel pamoate/praziquantel)



### 6.0 to 25 lbs

Mfd for Durvet Inc. 100 S.E. Magellan Drive Blue Springs, MO 64014

### info@durvet.com



## **Flavored Chewables**

Package contents: 2 flavored chewables

### **Drug Facts**

Active Ingredients (in each chewable): pyrantel pamoate (30 mg) and praziguantel (30 mg) Purpose: De-wormer for Small Dogs and Puppies Only (6.0 to 25 pounds).

Indications: For the treatment and control of roundworms (Toxocara canis, Toxascaris leonina) hookworms (Ancylostoma caninum, Ancylostoma braziliense, Uncinaria stenocephala), and

tapeworms (Dipylidium caninum, Taenia pisiformis)

Triple Wormer Flavored Chewables are safe for use in puppies 12 weeks or older and adult doos.

Safety in breeding dogs and pregnant bitches has not been tested.

Dosage – Dog Weight	No. of Chewables
6.0 to 12 lbs.	1
12.1 to 25 lbs.	2
More than 25 lbs.	Use the 114 mg chewable

#### For complete product information, see package insert.

Store at controlled room temperature of 59-86°F (15-30°C).

Human Warning: Keep this and all medication out of reach of children. To obtain product information, including a Safety Data Sheet (SDS), call 1-800-821-5570.

friple Wormer pamoate/praziquantel)

Small Dogs and Puppies 6.0-25 lbs



## 2 Flavored **Chewables**



Dog 6.0 - 25 lbs

# Triple Wormer (pyrantel pamoate/praziquantel)

#### ORFD CHEWABLES



De-wormer for Dogs Only

# Small Dogs and Puppies 6.0 to 25 lbs

For the treatment and control of:

tapeworms (Dipylidium caninum, Taenia pisiformis)

roundworms (Toxocara canis, Toxascaris leonina)

### hookworms

(Ancylostoma caninum, Ancylostoma braziliense, Uncinaria stenocephala)

Each chewable contains 30 mg pyrantel pamoate and 30 mg praziguantel



ole Wormer pamoate/praziquantel

Puppies - 25 lbs Dogs

Smal

and 6.0

**durve** 

## Triple Wormer. Flavored Chewables

Package contents: blisters of 2 or 12 flavored chewables

### **Drug Facts**

# Active Ingredients (in each chewable):

pyrantel pamoate (114 mg) and praziquantel (114 mg)

**Purpose:** De-wormer for Medium and Large Dogs Only (Greater than 25 pounds).

**Uses:** For the treatment and control of:

- Roundworms (Toxocara canis, Toxascaris leonina)
- Hookworms (Ancylostoma caninum, Ancylostoma braziliense, and Uncinaria stenocephala)
- Tapeworms (Dipylidium caninum, Taenia pisiformis)

### **Human Warning:**

Keep this and all medication out of the reach of children. To obtain product information, including a Safety Data Sheet (SDS), call 1-800-821-5570.

### When Using This Product:

• Consult your veterinarian for assistance in the

diagnosis, treatment, and control of parasitism.

- Do not de-worm a dog or puppy that is sick.
  Consult a veterinarian for diagnosis of the illness.
- Triple Wormer

Flavored Chewables are safe for use in puppies 12 weeks or older and adult dogs. Safety in breeding dogs and pregnant bitches has not been tested.

### You May Notice:

Vomiting, loose stools (with or without blood) and decreased activity following treatment. If you notice these signs, contact a veterinarian.

### **Directions:**

Each flavored chewable contains 114 mg of pyrantel pamoate and 114 mg of praziquantel. The dose for each drug is 2.27 mg per pound of body weight (5 mg/kg). Please refer to the following dosing table for help finding the right dose for your dog.

### **Triple Wormer Flavored Chewables Dosing Table**

Dog Weight	Number of Chewables
6.0 to 25 pounds	Use the 30 mg size.
25.1 to 50 pounds	1
50.1 to 100 pounds	2
100.1 to 150 pounds	3
150.1 to 200 pounds	4

- You should weigh your dog to make sure you are giving the right dose.
- Triple Wormer Flavored Chewables are palatable if offered by hand. If your dog does not voluntarily eat the chewable, you can hide the chewable in a small amount of food or place it in the back of the dog's mouth for forced swallowing.
- Make sure that the dog eats the complete dose.
- Watch your dog for a few minutes after dosing to make sure the chewable is not rejected.

### Other Information: Recommended De-Worming Schedule:

Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. De-worming schedules may vary depending on the climate where you live and the activity of your dog. Re-treatment: Re-treatment of your dog may be necessary as determined by laboratory fecal examination and/or if your dog is living where re-infections are likely to occur. Consult vour veterinarian for assistance in the diagnosis and prevention of re-infection. In case of re-infection with tapeworms (Dipylidium caninum), consult vour veterinarian for advice on how to remove fleas from the dog and the environment.

### Manufactured for:

Durvet, Inc. 100 S.E. Magellan Drive Blue Springs, MO 64014

**Storage:** Store at controlled room temperature of 59-86°F (15-30°C).

### **Questions? Comments?**

To report a suspected adverse reaction, call 1-800-821-5570.

P002622-3 AMRV

Approved by FDA under NADA #141-261