Feline Tabs...

(praziquantel tablets) FOR CATS

INDICATIONS:

Feline Tape Tabs (praziquantel tablets) will remove the common tapeworms, *Dipylidium caninum* and *Taenia taeniaeformis*, from cats and kittens.

APPROVED FOR USE ON:

Cats and kittens over 6 weeks in age.

PRODUCT ADVANTAGES:

- Easy to give chewable tablet
- Safe for use in cats and kittens over 6 weeks of age
- Effective against tapeworms

DOSAGE AND ADMINISTRATION:

Feline Tape Tabs (praziquantel tablets) may be given directly in the mouth or crumbled and mixed with the food. Administer to cats and kittens* only as follows:

Feline Tape Tabs Chewable Tablets for Cats Dosage Charts

Body Wt. (lbs.)	No. of Tablets
4 pounds and under	0.5
5 - 11	1.0
Over 11 pounds	1.5

^{*}Not intended for use in kittens less than 6 weeks of age.

ACTIVE INGREDIENTS:

Each tablet contains 23 mg praziquantel.

PACKAGING:

3 tablets per box, 12 boxes per case UPC# 7-45801-18200-4



See insert for full directions and warning statements.



Feline Tape Tabs...

(praziquantel tablets) FOR CATS





(praziquantel tablets) FOR CATS

Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism. Consult your veterinarian before administering the tablets to weak or debilitated animals.

Each tablet contains 23 mg praziquantel.

DESCRIPITION: Feline Tape Tabs (praziquantel tablets) are sized for easy oral administration to either adult cats or kittens. The tablets may be crumbled and mixed with the feed.

USES: Feline Tape Tabs (praziquantel tablets) will remove the common tapeworms, *Dipylidium caninum* and *Taenia taeniaeformis*, from cats and kittens.

DOSAGE AND ADMINISTRATION: Feline Tape Tabs (praziquantel tablets) may be given directly in the mouth or crumbled and mixed with the food. Administer to cats and kittens* only as follows:

Body Weight (lbs)	No. of Tablets
4 pounds and under	½ tablet
5-11 pounds	1 tablet
Over 11 pounds	1 ½ tablets

*Not intended for use in kittens less than 6 weeks of age

FASTING IS NEITHER NECESSARY NOR RECOMMENDED.

RETREATMENT: Steps should be taken to control fleas and rodents on the premises in order to prevent reinfection; otherwise, retreatment will be necessary. This is especially true in cases of tapeworms transmitted by fleas (*Dipylidium caninum*) where reinfection is almost certain to occur if fleas are not removed from the animal and its environment. If reinfection occurs, tapeworm segments may be observed within one month of the initial treatment.

SIDE EFFECTS: Isolated incident of either salivation or diarrhea have been reported following treatment, but were considered non-significant. If these signs are observed and they persist, consult your veterinarian.

Questions? For product questions, to report side effects, or for a copy of the Safety Data Sheet (SDS), call Durvet, Inc. at 1-800-821-5570.

For additional information about reporting side effects for animal drugs, contact FDA at 1-888-FDA-VETS or http://www.fda.gov/reportanimalae.

WARNING: Keep out of the reach of children. Not for human use.

HOW SUPPLIED: Bottle of 3 scored tablets. Each scored tablet contains 23 mg praziquantel.

STORAGE CONDITIONS: Store at less than or equal to 25°C (77°F).



Mfd. for: Durvet, Inc. 100 S.E. Magellan Drive Blue Springs, MO 64014

www.durvet.com

ISS22XB07

Approved by FDA under NADA # 111-798

Made in China 90211089_PA600301X

