

WARNING:
KEEP OUT OF REACH OF CHILDREN.
NOT FOR HUMAN USE.

SIDE EFFECTS: Isolated incident of either salivation or diarrhea have been reported following treatment, but were considered non-significant. If these signs are observed and they persist, consult your veterinarian.

STORAGE CONDITIONS: Store at less than or equal to 25°C (77°F).

For product questions, to report side effects, or for a copy of the Safety Data Sheet (SDS), call Durvet, Inc. at 1-800-821-5570.

Mfd. for: Durvet, Inc.
100 S.E. Magellan Drive, Blue Springs, MO 64014
www.durvet.com

Made in China



Feline Tape Tabs™

(praziquantel tablets)
FOR CATS

Tapeworm Tablet
for Cats

3
TABLETS

EACH TABLET
CONTAINS:
23 mg praziquantel



WARNING: KEEP OUT OF REACH OF
CHILDREN. NOT FOR HUMAN USE.

USES: Feline Tape Tabs (praziquantel tablets) will remove the common tapeworms, *Dipylidium caninum* and *Taenia taeniaeformis*, from cats and kittens.

WARNING: Consult your veterinarian before administering tablets to weak or debilitated animals.

Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism.

DOSAGE AND ADMINISTRATION: Administer orally to cats and kittens* only as follows:

Body Weight (lbs)	No. of Tablets
4 pounds and under	½ tablet
5-11 pounds	1 tablet
Over 11 pounds	1½ tablets

*Not intended for use in kittens less than 6 weeks of age.

FASTING IS NEITHER NECESSARY NOR RECOMMENDED

RETREATMENT: Steps should be taken to control fleas and rodents on the premises in order to prevent reinfection, otherwise, retreatment will be necessary. This is especially true in cases of tapeworms transmitted by fleas (*Dipylidium caninum*) where reinfection is almost certain to occur if fleas are not removed from the animal and its environment. If reinfection occurs, tapeworm segments may be observed within one month of the initial treatment.

For removal of tapeworms
(*Dipylidium caninum* and
Taenia taeniaeformis)
from cats and kittens.

READ PRODUCT INSERT
BEFORE USING THIS PRODUCT.



Approved by FDA
under NADA # 111-798

Back

Exp. Date:
Lot No.:
C1Y6

Approved by FDA under NADA #111-798

BEFORE USING THIS PRODUCT.

READ PRODUCT INSERT

cats and kittens.

For removal of tapeworms
(*Dipylidium caninum* and
Taenia taeniiformis) from

Feline Tape Tabs.

(praziquantel tablets) FOR CATS

EACH TABLET CONTAINS:
23 mg praziquantel

**WARNING: KEEP OUT OF REACH OF
CHILDREN. NOT FOR HUMAN USE.**

3

**CONTAINS
3 TABLETS**

Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

STORAGE CONDITIONS: Store at less than or equal to 25°C (77°F).

Mfd. for Durvet, Inc.
Blue Springs, MO 64014
www.durvet.com

durvet

Made in China

60211086_YL600008

ISS22X B07



Feline Tape Tabs™


(praziquantel tablets) FOR CATS

Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism. Consult your veterinarian before administering the tablets to weak or debilitated animals.

Each tablet contains 23 mg praziquantel.

DESCRIPTION: Feline Tape Tabs (praziquantel tablets) are sized for easy oral administration to either adult cats or kittens. The tablets may be crumbled and mixed with the feed.

USES: Feline Tape Tabs (praziquantel tablets) will remove the common tapeworms, *Dipylidium caninum* and *Taenia taeniaeformis*, from cats and kittens.



DOSAGE AND ADMINISTRATION: Feline Tape Tabs (praziquantel tablets) may be given directly in the mouth or crumbled and mixed with the food. Administer to cats and kittens* only as follows:

Body Weight (lbs)	No. of Tablets
4 pounds and under	½ tablet
5-11 pounds	1 tablet
Over 11 pounds	1 ½ tablets

*Not intended for use in kittens less than 6 weeks of age.

FASTING IS NEITHER NECESSARY NOR RECOMMENDED.

RETREATMENT: Steps should be taken to control fleas and rodents on the premises in order to prevent reinfection; otherwise, retreatment will be necessary. This is especially true in cases of tapeworms transmitted by fleas (*Dipylidium caninum*) where reinfection is almost certain to occur if fleas are not removed from the animal and its environment. If reinfection occurs, tapeworm segments may be observed within one month of the initial treatment.

SIDE EFFECTS: Isolated incident of either salivation or diarrhea have been reported following treatment, but were considered non-significant. If these signs are observed and they persist, consult your veterinarian.

Questions? For product questions, to report side effects, or for a copy of the Safety Data Sheet (SDS), call Durvet, Inc. at 1-800-821-5570.

For additional information about reporting side effects for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>.

WARNING: Keep out of the reach of children. Not for human use.

HOW SUPPLIED: Bottle of 3 scored tablets. Each scored tablet contains 23 mg praziquantel.

STORAGE CONDITIONS: Store at less than or equal to 25°C (77°F).



Mfd. for: Durvet, Inc.
100 S.E. Magellan Drive
Blue Springs, MO 64014
www.durvet.com

ISS25XB06

Approved by FDA under NADA # 111-798

Made in China
PA104399X

July 2025