



NET WT: 80 mL (2.70 oz)

Activated Charcoal

READY-TO-USE MULTI-SPECIES
FORMULA WITH ELECTROLYTES

GEL™



Contains Activated Bone Charcoal and Attapulgite Clay

Activated Charcoal Gel is a ready-to-use oral gel containing Bone Charcoal, Attapulgite Clay with electrolytes.

SUGGESTED USE: As an emergency first aid during times of accidental poisoning resulting from insecticides, herbicides, organic chemicals, intestinal bacterial contaminants, or grain overload. Research has shown that activated charcoal is effective in counteracting the effects of certain oral toxins.

ACTIVE INGREDIENTS: Bone Charcoal 100 mg/mL, Attapulgite Clay 200 mg/mL

INACTIVE INGREDIENTS: Water, Sodium chloride (35 mg/mL), Potassium chloride (35 mg/mL), and Polysorbate

DIRECTIONS FOR USE: For use in cattle, horses, calves, foals, sheep, goats, dogs and cats. Select the recommended feeding rate in the tubes and feed the animals orally allowing time to swallow. **Dogs & Cats:** 1-3 mL per kg (2.2 lb.) body weight. **Sheep & Goats:** 1-3 mL per kg (2.2 lb.) of body weight. **Adult Cattle & Horses:** It is recommended to give up to 300 mL.

Calves & Foals: It is recommended to give one full tube (80 mL). Repeat Activated Charcoal Gel feeding after 1 to 3 hours or as needed. A stomach tube should be used in animals unable to swallow. If conditions do not improve, consult your veterinarian. Depending on the condition of the animal, supportive therapy such as parental fluids and injectable antidotes should be used along with Activated Charcoal Gel for efficient recovery. May not be very effective in the treatment of heavy metal poisoning like lead, arsenic, mercury, etc.

WARNING: Consult your veterinarian before using. Do not provide to unconscious animals or animals without a swallowing reflex.

For Animal Use Only. Keep Out of Reach of Children. Do Not Freeze.

Mfg for: **DURVET, INC.**
Blue Springs, MO 64014

Lot.



MADE IN THE USA

ISS2654816

